



DIAGNOSTIC AUTOMATION, INC.

21250 Califa Street, Suite 102 and 116, Woodland Hills, CA 91367

Tel: (818) 591-3030 Fax: (818) 591-8383

onestep@rapidtest.com

technicalsupport@rapidtest.com

www.rapidtest.com

MATERIAL SAFETY DATA SHEET

Androstenedione

IDENTIFICATION OF THE PREPARATION AND COMPANY NAME.

Supplier: Diagnostic Automation Inc.
21250 Califa Street, Suite 102 and 116,
Woodland Hills, CA 91367 USA

Emergency Telephone number: Please contact the local hospitals.

Product Name: Androstenedione
Catalog No: 1038-17

COMPOSITION/INFORMATION ON INGREDIENTS KIT CONTENTS:

Substances

<i>Stop Solution</i>				
<i>Ingredient</i>	<i>EC No</i>	<i>CAS No</i>	<i>Conc. (w/v)</i>	<i>Reg. 1272/2008</i>
Sulphuric Acid	231-639-5	7664-93-9	< 5 %	H314

Mixtures

Proclin 300 is a mixture of two substances (5-chloro-2-methyl-2H-isothiazol-3-one (EC 247-500-7) and 2-methyl-2H-isothiazol-3-one (EC 220-239-6)) mixed with the proportion 3:1.

Calibrators - Controls - Conjugate - TMB Substrate - Conc. Wash Solution				
<i>Ingredient</i>	<i>EC No</i>	<i>CAS No</i>	<i>Conc. (%)</i>	<i>Reg. 1272/2008</i>
Proclin 300	-	55965-84-9	< 0.0015 %	H302 - H314 H317 - H332 H400 - H411

HAZARDS IDENTIFICATION

Classification of the substance or mixture

Due to the low concentration of hazardous ingredients none of the listed components of this product may be classified as dangerous according to Regulation (EC) 1272/2008.

Label elements

This product is not under labelling according to Regulation (EC) n. 1272/2008.

Other hazards

No one.

Note: this product is intended for laboratory use by professional uses only. Use appropriate personal protective equipment while working with the reagents provided.

FIRST AID MEASURES

Description of first aid measures

General advice: no special measures required. Consult a physician in case of complaints.

If inhaled: supply fresh air.

In case of skin contact: wash with plenty amounts of water.

In case of eye contact: rinse opened eye for few minutes with water.

If swallowed: contact the nearest first aid.

Most important symptoms and effects, both acute and delayed

To the best of our knowledge, the chemical, physical a toxicological properties have not been thoroughly investigated.

Indication of any immediate medical attention and special treatment needed

No data available.

FIRE-FIGHTING MEASURES

Extinguishing media

No restriction.

Special hazards arising from the substance or mixture

To the best of our knowledge, cannot be defined special hazards known.

Advice for firefighters

Wear self contained breathing apparatus for firefighting if necessary

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Absorb with inert absorbent material and dispose of a waste

HANDLING AND STORAGE

Precautions for safe handling

Use all reagents according to the Instruction For Use provided with the product.

Conditions for safe storage, including any incompatibilities

Store all reagents according to the Instruction For Use provided with the product.

Specific end use(s)

This product is intended for laboratory use by professional users only.

EXPOSURE CONTROL/PERSONAL PROTECTION

Control parameters

Component with exposure limits: it doesn't contain substances with exposure limit value.

Exposure controls

Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks at the end of workday.

Personal protective equipment

Eye/face protection: goggles with UNI EN 166 (and subsequent updates), or other international standard certification

Skin protection: lab coats, gloves with UNI EN 374 (and subsequent updates), or other international standard certification

Body protection: lab coats

Respiratory protection: not required

PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Component	a) Appearance	b) Odour	d) pH
Calibrators	liquid, faint yellow	odorless	7.5
Conjugate	liquid, red	odorless	5.1
Microplate	solid, white	odorless	not applicable
TMB Substrate	liquid, colorless	odorless	3.2 - 3.8
Stop Solution	liquid, colorless	odorless	< 1
Control	liquid, faint yellow	odorless	7.5
Conc. Wash Solution	liquid, colorless	odorless	7.4

For all components	
c) odour threshold	no data available
e) melting point / freezing point	no data available
f) initial boiling point and boiling range	no data available
g) flash point	no data available
h) evaporation rate	no data available
i) flammability (solid, gas)	no data available
j) upper/lower flammability or explosive limits	no data available
k) vapour pressure	no data available
l) vapour density	no data available
m) relative density	no data available
n) solubility(ies)	no data available
o) partition coefficient: n-octanol / water;	no data available
p) auto-ignition temperature	no data available
q) decomposition temperature	no data available
r) viscosity	no data available
s) explosive properties	no data available
t) oxidising properties	no data available

STABILITY AND REACTIVITY

Reactivity: no data available.

Chemical stability: no data available.

Possibility of hazardous reactions: no data available.

Conditions to avoid

For the functional stability and reactivity of "TMB Substrate" avoid its exposure to directed sunlight, metals or oxidants and do not freeze the solution.

Incompatible materials: no data available.

Hazardous decomposition products: no data available.

TOXICOLOGICAL INFORMATION

Information on toxicological effects

a) acute toxicity	no data available
b) skin corrosion/irritation	no data available
c) serious eye damage / irritation	no data available
d) respiratory or skin sensitisation	no data available
e) germ cell mutagenicity	no data available
f) carcinogenicity	no data available
g) reproductive toxicity	no data available
h) STOT-single exposure	no data available
i) STOT-repeated exposure	no data available
j) aspiration hazard	no data available

Potential health effects	
Inhalation	no data available
Ingestion	no data available
Skin	no data available
Eyes	no data available

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.

ECOLOGICAL INFORMATION

Toxicity: no data available.

Persistence and degradabilità: no data available.

Bioaccumulative potential: no data available.

Mobility in soil: no data available.

Results of PBT and vPvB assessment: no data available.

Other adverse effects: no data available.

DISPOSAL CONSIDERATION

Waste treatment methods

Reagents must be disposed of in accordance with local regulations. Do not disposed of in wastewater. If appropriate, contact a licensed disposal company.

TRANSPORT INFORMATION

The product is not under transport regulations.

UN number: no data available

UN proper shipping name: no data available

Transport hazard class(es): no data available

Packing group: no data available

Environmental hazards: no data available

Special precautions for user: no data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: no data available

REGULATORY INFORMATION

This Safety Data Sheet is according to Regulation (CE) n. 1907/2006 (REACH) and Regulation (EC) n. 453/2010; this product is classified and labelled according the Regulation (EC) n. 1272/2008 (CLP).

Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

Chemical safety assessment

No data available

OTHER INFORMATION

- "H code" used in this Safety data sheet

Reg. 1272/2008	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

- **Changing against the last version:**

Rev. 7: Updating to Regulation (CE) n. 1907/2006, Regulation (EC) n. 453/2010, and according to Regulation (EC) n. 1272/2008 (CLP).

Rev. 8: change in Headquarter address

Rev. 9: introduction of "Control B" component

- **Note:**

The information in this document is believed to be accurate and represents the best information currently available to us. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date Adopted	2016-07-08
REF 1038-17	Androstenedione



DIAGNOSTIC AUTOMATION, INC.

21250 Califa Street, Suite 102 and 116, Woodland Hills, CA 91367

Tel: (818) 591-3030 Fax: (818) 591-8383

ISO 13485-2003



Revision Date: 2015-01