

Material Safety Data Sheet

EBV EA IgG ELISA

Section 1: Product and Company Identification

Catalog No: 1415-11
 Synonyms: N/A
 Intended Use: Laboratory Use

Section 2: Composition of kit Components

Components	Identification	Quantity	Main Ingredients
1. Microwell Strips	8 Wells x 12 Strips In sealed pouch	96 wells	EBV EA-D antigen coated on Polystyrene wells
2. Enzyme Conjugate	Red Color Solution	12 ml	Goat anti-human IgG conjugate to Horseradish peroxidase in TBS buffer with bovine serum and ProClin-300
3. Negative Control	Nature Cap	150 µl	Diluted human serum in buffer solution contain bovine, goat serum and sodium azide
4. Calibrator	Red Cap	150 µl	Diluted human serum in buffer solution contain bovine, goat serum and sodium azide
5. Positive Control	Green Cap	150 µl	Diluted human serum in buffer solution contain bovine, goat serum and sodium azide
6. Washing Concentrate 10X	White Cap	100 ml	PBS buffer with detergent
7. Sample Diluent	Blue color solution with White cap	22 ml	Bovine and goat serum in buffer solution
8. TMB Chromogenic Substrate	Amber Bottle	12 ml	TMB (≤0.1%) Hydrogen Peroxide (≤0.03%) DMSO (≤3%)
9. Stop Solution		12 ml	HCl (≤ 1 molar) H ₂ SO ₄ (≤ 0.25 molar)
10. Package Insert			N/A

Section 3: Hazard Identification

Potential Biohazard:

The components 3, 4, and 5 (Calibrators and Controls) are formulated with a buffer base, animal serum, and human serum. The human serum are tested by an United States Food and Drug Administration (USFDA) licensed method and found to be non-reactive for HIV-1, HIV-2, Hepatitis B surface antigen and HCV. Because no test method can offer absolute assurance that these agents are absent, reagents should be handled at the Biosafety Level 2, as recommended for any potentially infectious human blood product, in the United States Center for Disease Control (USCDC) and National Institute of Health (USNIH) manual "Biosafety in Microbiological Laboratories", 1988.

All bovine products and goat sera have been derived from animals of US origin and processed in USDA licensed facilities.

Chemical Hazard:

The components 3, 4, and 5 (Calibrator and Controls) are formulated with 0.1 % sodium azide. Concentrated Sodium Azide may react with copper and lead plumbing to form explosive metal azides. May react with acids to form explosive hydrazoic acid. If drain disposed, flush with large amounts of water to prevent azide build-up.

The component 8 (TMB Chromogenic Substrate) containing TMB, is formulated with DMSO, an irritant and mucous membranes. In case of contact with any of these reagents, wash thoroughly with water. TMB is a suspected carcinogen.

Component 9 (Stop Solution) is an acidic and corrosive agent. Avoid contact with skin.

Section 4: First Aid Measures

Inhalation: Remove to fresh air, give oxygen if breathing becomes difficult and seek medical attention.

Ingestion: Flush mouth with copious amounts of water, provided that the person is conscious and seek medical attention.

Skin: Remove contaminated clothing and wash the exposed skin area thoroughly with soap and water.

Eyes: Flush with copious amounts of water for at least 15 minutes. Seek medical attention.

Section 5: Fire Fighting Measures

Suitable Extinguishing Media: Chemical or water fire extinguisher.

Extinguishing Media Not to be Used: None known.

Special Fire Fighting Procedures: None Known.

Unusual Fire and Explosion Hazards: N/A

NFPA Rating: Health: 2, Flammability: 0, Reactivity: 1

Section 6: Accidental Release Measures

Body Precautions: Wear rubber gloves, impermeable shoe covers and long laboratory coat.

Environmental Precautions: Contain the spill to the smallest area possible.

Cleaning Measures: Take care not to contaminate body. Absorb the material with disposable towels. Soak area with a 10% bleach solution and wipe up with disposable towels. Dispose of all contaminated trash in accordance with local regulations.

Section 7: Handling and Storage

Manipulation: Wear suitable personal protective equipment. Take care not to splash spill or splatter reagents. Do not eat, drink, smoke or apply cosmetics in laboratory areas. Do not pipette samples or reagents by mouth.

Storage: Store the test kits in 2 - 8⁰ C refrigerators designated and labeled to contain human blood products.

Section 8: Exposure Control/Personal Protection

Body Protection: Wear long laboratory coat.

Respiratory protection: In case of fire, wear self-contained breathing apparatus.

Hand Protection: Wear non-permeable rubber, neoprene, latex or nitrile disposable gloves.
Change gloves when they become contaminated.

Eyes Protection: Wear safety glasses or goggles when a splash hazard exists.

Section 9: Ecological Effects

None known.

Section 10: Disposal Requirements

Disposal of Preparation Left: Dispose according to current regional and national rules.

Contaminated Containers: Dispose of following current regulations.

Section 11: Toxicological Information

Road / Railway Haulage ADR/RID: Class 8, Corrosive, limited quantity of material, except package.

Sea Freight IMO (IMDG): Class 8, Corrosive, limited quantity of material, except package.

Air Freight IATA (ICAO): Class 8, Corrosive, limited quantity of material, except package.

UN Number: 2796

Section 12: Information On Regulation

Classification: This preparation is classified and labeled in accordance with applicable national and international regulations.

Symbols of Danger: N/A

"R" Phrases Indicating Specific Risks: Irritant

R36/37/38, Irritating to the eyes, respiratory system and skin.

"S" Phrases Indicating Caution:

S26, In case of contact with any reagents rinse with copious amounts of water for at least 15 minutes. If irritation persists, seek medical attention.

S36, Wear suitable protective clothing.

Section 13: Other Information

Recommended Use: For research or clinical investigational use only.
Not for use on or in human and animals.

Information contained in this MSDS relies upon our best knowledge of the product upon issue of this document to describe the use, storage, transport and disposal under safe and secure measures. Such information is not a guarantee of the characteristics and specific quality of the product. This MSDS concerns the stated preparation and cannot apply to the product if used with other materials or in a process other than those specifically stated.

Quality Control

Diagnostic Automation/Cortez Diagnostics INC.

DAI code # 1415-11

Revision Date: 03-05-2014