

Material Safety Data Sheet

Testosterone

ELISA

IDENTIFICATION OF THE PREPARATION AND COMPANY NAME.

Product Name: Testosterone Elisa
Catalog No: 2095-18
Synonyms: N/A
Intended Use: Laboratory Use

HAZARD IDENTIFICATION

Human serum (or its components) used in the manufacture of components was found non-reactive for HIV-1 antibody, non-reactive for HBsAg, and non-reactive for HCV when tested with licensed agents. However, no known test method can offer absolute assurance that products derived from human serum will not be infectious. **Handle it as if capable of transmitting diseases.**

HAZARD INGREDIENTS

Kit Component(s): Reference Standard Set

Hazardous Component	Percent	CAS Number
Human Serum	---	---

COMPOSITION/INFORMATION ON INGREDIENTS:

Components	Main Ingredients	Composition
1. Antibody Coated Wells 96 well plate 12 x 8 strips	Goat Anti-Rabbit IgG 5 gm Desiccant (Silica)	1 µg/well
2. Reference Standards 6 vials at 0.5 ml/vial	Testosterone Human Serum ProClin-300	0,0.1,0.5,2.0,6.0, and 18ng/ml 99% (v/v) 1% (v/v)
3. Quality Control Set 2 vials at 0.5 ml/vial	Human Serum Control Level I, Testosterone Control Level II, Testosterone	100% (v/v) 0.6 ng/ml 6 ng/ml
4. Enzyme Conjugate Reagent 1 x 12ml bottle	Testosterone Conjugated to Horseradish Peroxidase Buffered Protein (BSA) Solution ProClin-300	1 µg/ml 99% (v/v) 1% (v/v)
5. Antibody Reagent 1 x 7 ml bottle	Rabbit Anti-Testosterone 0.015 M Potassium Phosphate Buffer, pH= 7.4	0.01% (v/v) 99.99% (v/v)
6. TMB Reagent 1 x 11 ml bottle	TMB (Tetramethylbenzidine) Nonreducing Oligosaccharides Hydrogen Peroxide	≤ 0.05% (w/v) ≤ 3% (w/v) ≤ 0.02% (v/v)
7. Stop Solution 1 x 11 ml bottle	HCl (Hydrochloric Acid) Distilled Water	1.7% (v/v) 98.3% (v/v)

FIRST AID MEASURES

SEEK MEDICAL ATTENTION FOR ALL CASES OF OVEREXPOSURE

Eyes:

Flush with copious amounts of fresh water for at least 15 minutes.

Skin:

Wash well with mild soap and copious amounts of fresh water. Remove any contaminated clothing. Flush skin surface with additional water.

Ingestion:

Flush mouth with copious amounts of water. Do not swallow rinse water.

Inhalation:

Remove victim to fresh air. If breathing is labored, administer oxygen as needed. If victim is not breathing, administer artificial respiration or CPR.

If warranted, seek medical attention. If possible, save sample of material that caused reaction for use in determination of appropriate treatment.

FIRE FIGHTING MEASURES

Use extinguishing media appropriate to surrounding fire.

ACCIDENTAL RELEASE MEASURES

Absorb spills of reagents and patient samples with absorbent paper, taking care not to spread the material. Clean spill area with a freshly made 0.5% sodium hypochlorite (bleach) solution.

Discard all materials used to absorb spill and disinfect area into biohazard waste collection for proper disposal.

HANDLING AND STORAGE

Handling:

Do not eat, drink, smoke or apply cosmetics in laboratory areas. Do not pipette samples or reagents by mouth. Avoid splashing or aerosol formation. Use all reagents in accordance with the relevant package insert. Avoid high temperatures and keep from freezing during transport.

Storage:

Store all reagents as directed in the relevant package insert.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear appropriate personal protective equipment, including lab coats and disposable gloves, when working with reagents or patient specimens. Avoid hand/mouth contact. Wash hands as soon as possible after handling reagents or patient samples.

PHYSICAL & CHEMICAL PROPERTIES

Not applicable.

STABILITY & REACTIVITY

Stability:

The reagents in the kit are stable under the storage conditions described in the package insert. Hazardous decomposition will not occur. There are no known strong incompatibilities.

TOXICOLOGICAL INFORMATION

Not applicable.

ECOLOGICAL INFORMATION

Not applicable.

DISPOSAL CONSIDERATION

Dispose in accordance with applicable laws. If drain disposed, dilute and flush with a copious amount of running water.

TRANSPORT INFORMATION



Hazard Class:	None
Proper Shipping Name:	In vitro diagnostic reagents
Identification Number:	None

REGULATORY INFORMATION

The product is not subject to identification regulations under EU Directives.

OTHER

The above information is believed to be corrected to the best of our current knowledge. Diagnostic Automation, Inc. does not guarantee this to be all-inclusive and shall not be held liable for any damages resulting from handling of or contact with the above product.

<p>ISO 13485 ISO 9001</p> 	
 <p>Diagnostic Automation/ Cortez Diagnostics, Inc. 21250 Califa Street, Suite 102 and 116, Woodland Hills, California 91367 USA</p>	
Date Adopted	2016-05-20
REF 2095-18	AccuDiag™- Testosterone ELISA Test Kit
EC REP	CEpartner4U , Esdoornlaan 13, 3951DB Maarn. The Netherlands. www.cepartner4u.eu
Revision Date: 2009-01-03	