Material Safety Data Sheet

Campylobacter ELISA

Section 1: Product and Company Identification

Catalog No: 8321-3 Synonyms: N/A

Intended Use: Laboratory Use

Product Description: Diagnostic kit for Campylobacter Infection

Section 2: Hazard Identification

Emergency Overview: Appearance: Six different liquids. Warning! Stop Solution is a mildly corrosive liquid. All liquids may be irritating to eyes, skin, digestive tract or respiratory tract. For in vitro use only.

HMIS HEALTH	1
HMIS FLAMMABILITY	0
HMIS REACTIVITY	0
PERSONAL PROTECTION	C

Regulatory Status: Is not considered hazardous under the OSHA standard or WHMIS.

Potential Health Effects:

Inhalation: Inhalation of liquid or mist may be irritating to the respiratory tract.

Ingestion: May cause irritation of the digestive tract. Stop Solution may cause burns to the digestive tract.

Skin Contact: May cause skin irritation. Stop Solution may cause burns. **Eye Contact:** May cause eye irritation. Stop Solution may cause burns.

Chronic Exposure: Repeated or prolonged exposure may cause allergic reactions in sensitive individuals.

Aggravation of Pre-existing Conditions: No information available.

Target Organs: No information available.

Section 3: Composition/Information On Ingredients

Kit Component	Component Contains		EINECS #	Weight %
Enzyme Conjugate	Thimerosal	54-64-8	200-210-4	0.5%
Positive Control	Thimerosal	54-64-8	200-210-4	0.5%
Negative Control	Thimerosal	54-64-8	200-210-4	0.2%
Chromogen	Tetramethylbenzidine	54827-17-7	259-364-6	<1%
Wash Concentrate	Thimerosal	54-64-8	200-210-4	0.4%
Stop Solution	Phosphoric Acid	7664-38-2	231-633-2	5%

Non-hazardous components may or may not be listed. Carcinogens are listed when present at 0.1% or more; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or more. This is not intended to be complete compositional disclosure. See Section 15 for applicable states right to know and other regulatory information.

Section 4: First Aid Measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if necessary.

Ingestion: Drink several glasses of water or milk. Never give anything by mouth to an unconscious person. Do not induce vomiting. Get medical attention if necessary.

Skin: Immediately flush skin with plenty of water for at least 15 minutes. Get medical attention if irritation develops.

Diagnostic Automation/ Cortez Diagnostics, Inc. 21250 Califa St, Suite 102 and 116, Woodland Hills, CA 91367 USA Phone: 818-591-3030, Fax: 818-591-8383 Email: onestep@rapidtest.com Website: www.rapidtest.com

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention if necessary.

Note to Physicians: N/A

Section 5: Fire Fighting Measures

Fire: Flash point: Not flammable.

Explosion: Not considered an explosion hazard.

Extinguishing Media: Use appropriate media for the surrounding fire.

Special Precautions: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

NERA Poting: Health 1. Elementality 0. Protein NA.

NFPA Rating: Health -1 Flammability -0 Reactivity -0 Other -NA

Section 6: Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Collect liquid or solid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Wash contaminated area with plenty of water.

Section 7: Handling and Storage

Keep all containers tightly closed. Store at 2-8°C. Protect material from long-term exposure to light. Short periods of exposure to light are acceptable.

Section 8: Exposure Control/Personal Protection

Compound	CAS#	OSHA PEL	ACGIH TLV	NIOSH TLV
Thimerosal	54-64-8	None Established	$0.1 \text{mg/m}^3 \text{ (TWA)}$	$0.05 \text{ mg/m}^3 \text{ (TWA)}$
			(as Hg)	(vapor except
				organoalkyls, as Hg)
Tetramethylbenzidine	54827-17-7	None Established	None Established	None Established
Phosphoric acid	7664-38-2	1mg/m ³ (TWA)	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)	1mg/m ³ (TWA) 3 mg/m ³ (STEL)

Personal Protective Equipment:

Skin Contact: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Latex and nitrile are suitable glove materials.

Eye Contact: Use chemical safety goggles and/or full face shield where misting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Inhalation: Use NIOSH-approved vapor respirator if exposure is unknown or exceeds permissible limits. A respiratory protection program that meets OSHA's 29 CFR 1910.134 or ANSI Z88.2 requirements must be followed whenever workplace conditions warrant respirator use. WARNING: Air-purifying respirators do not protect workers in oxygen deficient atmospheres.

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Diagnostic Automation/ Cortez Diagnostics, Inc. 21250 Califa St, Suite 102 and 116, Woodland Hills. CA 91367 USA Phone: 818-591-3030. Fax: 818-591-8383 Email: onestep@rapidtest.com Website: www.rapidtest.com

DAI Code# 3 Page 2 of 6

Section 9: Physical and Chemical Properties

	Enzyme Conjugate	Positive Control	Negative Control
Appearance	Clear red liquid	Clear colorless liquid	Clear colorless liquid
Melting Point	≈ 0°C	≈ 0°C	≈ 0°C
Boiling Point	≥ 100°C	≥ 100°C	≥ 100°C
Specific Gravity	About 1.0	About 1.0	About 1.0
pН	About 7.4	About 7.2	About 6.7
Solubility in water	Complete	Complete	Complete
	CO1	*** 1 0	Q. Q. 1. 14
	Chromogen	Wash Concentrate	Stop Solution
Appearance	Chromogen Clear colorless liquid	Clear colorless liquid	Stop Solution Clear colorless liquid
Appearance Melting Point			_
- A A	Clear colorless liquid	Clear colorless liquid	Clear colorless liquid
Melting Point	Clear colorless liquid ≈ 0°C	Clear colorless liquid ≈ 0°C	Clear colorless liquid ≈ 0°C
Melting Point Boiling Point	Clear colorless liquid ≈ 0°C ≥ 100°C	Clear colorless liquid ≈ 0°C ≥ 100°C	Clear colorless liquid ≈ 0°C ≥ 100°C

Section 10: Stability and Reactivity

Chemical Stability: This product is stable in closed containers at room temperature.

Hazardous Decomposition Products: Carbon oxides (CO, CO2), nitrogen oxides (NO, NO2, N2O), sulfur oxides

(SO₂, SO₃), phosphorus oxides (P₂O₅), hydrogen chloride

Incompatibilities: Strong oxidizers, heat, strong acids or bases, metals, alcohols, amines, aldehydes

Conditions to Avoid: Incompatible materials, combustible materials.

Section 11: Toxicological Information

Acute Dose Effects: Eye: Phosphoric acid: Draize Rabbit: 119 mg Severe

Skin: Phosphoric acid: Rat LD50: 2740 mg/kg Ingestion: Phosphoric acid: Rat LD50: 1530 mg/kg

Inhalation: Rat LC50: >850 mg/m³

Carcinogenicity: OSHA-regulated carcinogen; ACGIH: A2 - Suspected Human Carcinogen; NTP: Suspect

carcinogen; IARC: Group 1 carcinogen

Section 12: Ecological Information

Environmental Fate: This product is not expected to bioaccumulate. When released into water or air its expected

half life is 1-10 days.

Ecotoxicity: Dilute nature and small volumes of products makes any ecological effect highly unlikely.

Section 13: Disposal Considerations

As a waste, this material in its raw form IS NOT considered a HAZARDOUS WASTE under RCRA (29 CFR 261).

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14: Transport Information

All the solutions are unregulated by DOT and IATA.

Diagnostic Automation/ Cortez Diagnostics, Inc. 21250 Califa St, Suite 102 and 116, Woodland Hills, CA 91367 USA Phone: 818-591-3030, Fax: 818-591-8383 Email: onestep@rapidtest.com Website: www.rapidtest.com

Section 15: Regulatory Information

TSCA Chemical Inventory: All of the chemicals in this product are listed on the TSCA Inventory.

TSCA Sec 4 Chemical Test Rule: None of the chemicals in this product are under a Chemical Test Rule.

TSCA Sec 8(d): None of the chemicals in this product are on the Health and Safety Reporting List.

TSCA Sec 12(b) Notices of Export: None of the chemicals in this product are on this list.

TSCA Significant New Use Rule (SNUR): None of the chemicals in this product are on this list.

SARA Sec 311/312: Acute – Phosphoric acid

CERCLA Hazardous Substances and corresponding RQs: Phosphoric acid, 5000 lbs

Clean Air Act: Hazardous Air Pollutants? 50-00-0 Class 1 Ozone Depletors? NO Class 2 Ozone Depletors? NO

Clean Water Act: Hazardous Substance? Phosphoric acid Priority Pollutant? NO Toxic Pollutant? NO

Chemical Weapons Convention: None of the chemicals in this product are on this list.

Drug Enforcement Agency (DEA) CDTA: None of the chemicals in this product are on this list.

State Right-to-Know Lists: Phosphoric acid is found on the Right-to-Know lists of California, Florida, New Jersey, Pennsylvania, Massachusetts or Minnesota.

California Proposition 65: This product contains Thimerosal, a chemical known to the state to cause cancer or reproductive toxicity. A person in the course of doing business must warn others who may consume, come into contact with, or otherwise be exposed to this chemical.

Canadian DSL/NDSL Status: As an *in vitro* diagnostic product, this product is regulated by Health Canada (Medical Devices Regulations, SOR/98-282).

European Union

Hazard Symbols: C

Risk Phrases: R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed

R36/38- Irritating to eyes and skin.

R25- Toxic if swallowed.

R26- Very toxic by inhalation.

R34- Causes burns.

Safety Phrases: S1/2- Keep locked up and out of the reach of children.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28- After contact with skin, wash immediately with plenty of water.

S36/37- Wear suitable protective clothing and gloves.

S39- Wear eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Diagnostic Automation/ Cortez Diagnostics, Inc. 21250 Califa St, Suite 102 and 116, Woodland Hills, CA 91367 USA Phone: 818-591-3030, Fax : 818-591-8383 Email: onestep@rapidtest.com Website: www.rapidtest.com

Section 16: Other Information

Abbreviations	hne z	acronyms	nsed.
ADDIEVIALION	s anu	actonyms	useu.

anni eviat	ions and actonyms used.		
ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
ANSI	American National Standards Institute	NIOSH	National Institute for Occupational Safety and Health
atm	Atmosphere (pressure unit)	ND	not determined
BOD	biological oxygen demand	NFPA	National Fire Prevention Association
CAS	Chemical Abstracts Service	NTP	National Toxicology Program
CC	closed cup	OC	open cup
CDTA	Chemical Drug and Trafficking Act	OSHA	Occupational Safety and Health Administration
COC	Cleveland Open Cup	Part	partition
COD	chemical oxygen demand	PEL	permissible exposure limits
coeff.	coefficient	ppb	parts per billion
CFR	Code of Federal Regulations	PPE	personal protection equipment
CPR	cardio-pulmonary resuscitation	ppm	parts per million
DEA	Drug Enforcement Agency	psi	pounds per square inch
DOT	Department of Transportation	RCRA	Resource Conservation and Recovery Act
FDA	Food and Drug Administration	RQ	Reportable quantity
IARC	Internat'l Agency for Research on Cancer	RTK	Right to Know
IDLH	immediate danger to life and health	SARA	Superfund Amendments and Reauthorization Act
kg	kilogram	STEL	short-term exposure limit
L	liter	TCC	Tagliabue Closed Cup
LC50	median lethal concentration	TPQ	threshold planning quantity
LD50	median lethal dose	TQ	threshold quantity
LEL	lower explosive limit	TSCA	Toxic Substances Control Act
mg	milligram	TWA	time-weighted average
mL	milliliter	WHMIS	Workplace Hazardous Materials Information System

DISCLAIMER: Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this MSDS will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

THIS IS THE LAST PAGE OF THIS MSDS

Quality Control

Diagnostic Automation/Cortez Diagnostics INC. DAI code # 8321-3

Revision: 00

Diagnostic Automation/ Cortez Diagnostics, Inc. 21250 Califa St, Suite 102 and 116, Woodland Hills, CA 91367 USA Phone: 818-591-3030, Fax: 818-591-8383 Email: onestep@rapidtest.com Website: www.rapidtest.com