

Material Safety Data Sheet

H. Pylori /Serum/ RapiCard

IDENTIFICATION OF THE PREPARATION AND COMPANY NAME.

1. IDENTIFICATION OF THE PREPARATION AND COMPANY NAME

Catalog No: 118561-1-19
Synonyms: N/A
Intended Use: Laboratory Use

2. COMPOSITION of the kit COMPONENTS

Diagnostic test strip (s) with/without plastic cassette packaged in foil pouch with desiccant packet.

3. HAZARDS IDENTIFICATION

Emergency Overview-

NOT SIGNIFICANTLY HAZARDOUS

Device:

Lead and other heavy metals-not used in/on device.
Desiccant granules sealed within packet non-toxic but can be irritant.

4. First Aid Measures

Not applicable (rinse eyes if irritated by desiccant)

5. Fire Fighting Measures

As appropriate to plastic and paper (water, carbon dioxide, dry chemical, foam).

6. Accidental Release Measures

Not applicable.

7. Handlin and Storage

Room temperature storage(59-86°F/15-30°C for product longevity-more extreme conditions do not present safety hazard.

8. Exposure Controls / PPE1

Not applicable to device.

9. Physical / Chemical Properties

Appearance: Test strip or plastic cassette in foil pouch.

Physical Properties: Odorless, solid

Other (boiling point, solubility, pH, etc.): not applicable.

10. Stability and Reactivity

Stability: Stable

Reactivity: No dangerous reactions known for device
See insert or Certificate of Analysis for use of individual products.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition: Products and Incompatibility-not known.

11. Toxicological Information

Route of exposure: skin contact, eye contact & inhalation: granules within desiccant packet non-toxic but can be irritant .

12. Ecological Information

No applicable information.

13. Disposable Consideration

Device itself may disposed as solid waste. Devices tested with patient samples should be handled as potentially biohazardous materials in accordance with federal, state and local regulations.

14. Transport Information

Proper Shipping Name: None

Kits and devices: not hazardous for transport.

15. Disposable Consideration

Not restricted for safety reasons.

16. Disposable Consideration

The above information is believed to be corrected but is not intended to be all inclusive and shall be used only as a guide. Diagnostic Automation, Inc. makes no warranty, express or implied, and assumes no liability for any damage resulting from the information contained above. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Quality Control

Diagnostic Automation/Cortez Diagnostics, Inc.

COR # 118561-1-19

Revision Date: 09-16-2014